

Material Safety Data Sheet According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

# Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

	ATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1 Product id	dentifier	
Trade name:	- DV-44 / oil for vacuum pumps RL-2/4/8 / 4495340	
	- DV-45 / oil for vacuum pumps RL-2/4/8 / 4495358	
	- DV-46 / oil for vacuum pumps RL-2/4/8 / 4495366	
	- DV-46-Y / oil for vacuum pumps RL-2/4/8 / 4495323	
	- DV-48 / oil for vacuum pumps RL-2/4/8 / 4495331	
	dentified uses of the substance or mixture and uses advised against nation available.	
Application of	the substance / the preparation:	
For industrial us	e only	
Lubricant		
VD-L-Oil		
1.2 Dotoilo of	the cumplicy of the colory data check	
	the supplier of the safety data sheet acturing Ltd. Industriestrasse 11   6285 Hitzkirch Switzerland	
	9 72 82   Fax: +41 41 919 72 83	
Mail: info@refco		
	y telephone number	
	s Toxikologisches Informationszentrum Zurich	
	ber in urgent matters: 145 or +41 44 251 51 51	
Not urgent matte	ers: +41 44 251 66 66	
2. HAZARDS		
2.1 Classifica	tion of the substance or mixture	
	according to Regulation (EC) No 1272/2008	
	ot classified according to the CLP regulation.	
2.2 Label elen		
	rding to Regulation (EC) No 1272/2008	
The product doe	es not meet the criteria which leads to a labeling.	
Hazard pictogr	ams Void	
Signal word Vo		
Hazard stateme		
2.3 Other haz	ards None	
<b>Results of PBT</b>	and vPvB assessment	
PBT: Not ap	olicable.	
vPvB: Not app	olicable.	
3. COMPOS	TION/INFORMATION ON INGREDIENTS	
3.2 Mixtures		
Description:	Paraffin-based mineral oil, selective raffinate with active substances, Lubricant	
	hozardeve componente:	
CAS-no.:	hazardous components: Void	
UA3-110	VOIU	
Additional info	rmation: For the wording of the listed risk phrases refer to section 16.	
	Not mentioned CAS-, EINECS- or registration numbers are to be regarded as	
	Proprietary/ Confidential.	
	· · · · · · · · · · · · · · · · · · ·	

REFCO Manufacturing Ltd. Industriestrasse 11 6285 Hitzkirch - Switzerland

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83 info@refco.ch www.refco.ch

Certified: ISO 9001 / ISO 14001 Seite 1/7



Material Safety Data Sheet According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

# Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

4. FIRST AID MEASUR	ES				
4.1 Description of first ai					
General information:	No special measures required.				
After inhalation:	Supply fresh air; consult doctor in case of complaints.				
After skin contact:	Generally the product does not irritate the skin.				
After eye contact:	Rinse opened eye for several minutes under running water.				
After swallowing:	If symptoms persist consult doctor.				
<b>4.2 Most important symptoms and effects, both acute and delayed</b> No further relevant information available.					
<b>4.3 Indication of any immediate medical attention and special treatment needed</b> No further relevant information available.					
5. FIREFIGHTING MEASURES					
5.1 Extinguishing media					
Suitable extinguishing ager					
CO2, powder or water spray.	Fight larger fires with water spray.				
For safety reasons unsuitate Water with full jet	le extinguishing agents:				
5.2 Special hazards arising from the substance or mixture No further relevant information available.					
5.3 Advice for fire-fighter	S				
Protective equipment: No sp					
Additional information Cool	endangered receptacles with water spray.				
6. ACCIDENTAL RELE	ASE MEASURES				
6.1 Personal precautions, protective equipment and emergency procedures Not required.					
6.2. Environmental precautions					
Do not allow to enter sewers/	surface or ground water.				
<b>6.3 Methods and material for containment and cleaning up</b> Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).					
6.4 Reference to other sections					
No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.					

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83 info@refco.ch www.refco.ch

Certified: ISO 9001 / ISO 14001 Seite 2/7



According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

## Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

#### 7. HANDLING AND STORAGE 7.1 Precautions for safe handling The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV). Observe the general safety regulations when handling chemicals. Information about fire - and explosion protection: No special measures required. 7.2 Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Protect from heat and direct sunlight. Storage temperature between -15 °C and +40 °C. Duration of storage: In original container, at least 3 years. 7.3 Specific end use(s) No further relevant information available. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION \* Additional information about design of technical facilities: No further data; see item 7. 8.1 Control parameters Ingredients with limit values at the workplace: TLV value (oil mist) CH: 5 mg/m<sup>3</sup> Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. **Respiratory protection:** Not required. The glove material has to be impermeable and resistant to the product/ Protection of hands: the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case. Gloves must be inspected prior to use. Replace when worn! Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm. Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Eye protector with side protection (framed eyeglasses) EN 166.

REFCO Manufacturing Ltd. Industriestrasse 11 6285 Hitzkirch - Switzerland

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83 info@refco.ch www.refco.ch Certified: ISO 9001 / ISO 14001 Seite 3/7



According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

## Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

**Body protection:** 



Protective work clothing

## \* 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties				
Form	Liquid			
Colour	Light Yellow			
Odour	Weak, characteristic			
Melting Point / Melting Range	Not applicable			
Boiling Point / Boiling Range	> 300°C (DIN 51751 / ASTM D86)			
Drip Point	Not applicable			
Pour Point	- 27 °C (ISO 3016 / ASTM D97)			
Flash Point	210 °C (ISO 2592 / ASTM D92)			
Ignition Temperature	> 500 °C (DIN 51794 / ASTM E659)			
Self-Igniting	Product is not selfigniting			
Danger of Explosion	Product does not present an explosion hazard			
Lower Explosion limit (@1013 bar)	0.6 Vol %			
Upper Explosion limit (@1013 bar)	6.5 Vol %			
Density at 20°C	0.88 g/cm <sup>3</sup> (DIN 51757 / ASTM D1217)			
Solubility in / Miscibility with water	Insoluble			
Kinematic Viscosity	46mm <sup>2</sup> /s @40 °C (ISO 3104 / ASTM D445)			

#### 9.2 Other information

Safety relevant data, which has to be considered as product specifications.

### **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

None known if used as directed.

#### **10.2 Chemical stability**

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

#### 10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

#### 10.4 Conditions to avoid

No further relevant information available.

#### 10.5 Incompatible materials

No further relevant information available.

#### **10.6 Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

REFCO Manufacturing Ltd. Industriestrasse 11 6285 Hitzkirch - Switzerland

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83 info@refco.ch www.refco.ch Certified: ISO 9001 / ISO 14001 Seite **4/7** 



According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

## Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

### 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects
Acute toxicity Based on available data, the classification criteria are not met.
LD/LC50 values relevant for classification:
2000 - < 5000 mg / kg (oral, rat)</li>
5,100 mg/m3 4h (inhalation, rat)

#### Primary irritant effect

Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitization: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

#### 12.2 Persistence and degradability

No further relevant information available.

#### 12.3 Bio accumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

#### Additional ecological information / General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

#### 12.6 Other adverse effects

No further relevant information available.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Recommendation:** 

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue:

13 01 10 mineral based non-chlorinated hydraulic oils

15 01 10 packing containing residues of contaminated by dangerous substances.

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

REFCO Manufacturing Ltd. Industriestrasse 11 6285 Hitzkirch - Switzerland

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83

info@refco.ch www.refco.ch Certified: ISO 9001 / ISO 14001 Seite 5/7



Material Safety Data Sheet According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

# Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

* 14. TRANSPORT INFORM	ATION				
14.1 UN-Number ADR, ADN, IMDG, IATA	Void				
14.2 UN proper shipping nam ADR, AND, IMDG, IATA	ne: Void				
14.3 Transport hazard class( ADR, AND, IMDG, IATA Class	<b>es)</b> Void				
14.4 Packing group ADR, IMDG, IATA	Void				
14.5 Environmental hazardsMarine pollutantNo					
14.6 Special precautions for	user Not applicable.				
14.7 Transport in bulk accord	<b>Jing to Annex II of MARPOL73/78 and the IBC Code</b> Not applicable.				
14.8 Transport/Additional inf	ormation: Not dangerous according to the above specifications.				
ΙΑΤΑ	IATA Dangerous Goods Regulation (DGR) 57th Edition				
2016					
UN "Model Regulation" Void					
* 15. REGULATORY INFORM					
Directive 2012/18/EU					
Named dangerous substances -	ANNEX I None of the ingredients is listed.				
National regulations: CPID-no. (CH): 527510-26					
Other regulations, limitations an Substances of very high concer	nd prohibitive regulations n (SVHC) according to REACH, Article 57 any SVHC ("Substances of Very High Concern")				
	any Syno ( Substances of very high Concent )				
<b>15.2 Chemical safety assessi</b> A Chemical Safety Assessment ha					
16. OTHER INFORMATION					
RoHS: The product is complaint with Euro and RoHS. The following substances ARE NC	opean Directives 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC,				
Pentabromodiphenylether, Octabro	omodiphenylether, polybrominated diphenylether (PDBE) and/or polybrominated biphenyls dmium or it's compounds, mercury or it's compounds, chromium Cr <sup>6</sup> +- compounds.				
<b>IP346:</b> The contained refined mineral oils	are exempt of labelling				
	hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).				

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83

info@refco.ch www.refco.ch

Certified: ISO 9001 / ISO 14001 Seite 6/7



According to CE 1907/2006/CE Regulation, Article 31 and 453/2010/EC

## Substance: Oil for vacuum pump

Stand: 11.07.2016. Rev.-Nr. 06

Department issuing MSDS: Quality management

Contact: Mr. Weber

#### Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

#### Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) RoHS: Restriction of Hazardous Substances ADR: Accord European sur le transport des merchandises dangerousness par Route (European Agreement concerning the International Carriage of Dangerous Goods by Rail) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organization for Standardization DNEL: Derived No-Effect Level (REACH) PNEC: Predicated No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT : Persistent, Bioaccumulative and Toxic DMSO : Dimethyl sulphoxide extract IP 346: Institute of Petroleum and related for testing methods for petroleum and fuel products. CLP: Classification, Labelling and Packaging (European GHS) PBT: Persistent, Bioaccumulative and Toxic chemicals vPvB: very Persistent and very Bioaccumulative chemicals \* Data compared to the previous version altered.

The asterisk (\*) on the left side indicate the respective changes from the previous version.

End of document

Telefon +41 41 919 72 82 Telefax +41 41 919 72 83 info@refco.ch www.refco.ch